

Multi-Cooker

Larger orange LCD display; Stainless steel housing;



HP-FCH38A 600W 3.01 HP-FCH48A 860W 401 HP-FCH58A (860W 5.01)





CFXB40-3D1 700W 4.0L CFXB40-3D2 860W 4.0L



- ※ Inner pot with non-stick coating.
 ※ Time and temperature are adjustable for each function.
 ※ High temperature protection.
 ※ High quality plastic housing and looks luxury.
 ※ Accessory: steam rack, measure cup, rice spoon.

Plastic body Rice Cooker

The perfectly equipped steamer leads the cooking trend







CFXB20-3A2 B 400W 1.0L



- ※ All plastic body.
 ※ Automatic rice cooking and warming system.
 ※ High temperature protection.
 ※ Aluminum inner pot and non-stick coating.

- ※ Accessories: measuring cup and rice scoop.



High life quality

Automatic rice cooking and warming system.







CFXB20-3A2 D 400W 1.0L



- ※ All plastic body. 泰 Automatic rice cooking and warming system. ※ High temperature protection.
- Aluminum inner pot and non-stick coating.
 Accessories: measuring cup-and rice scoop.

The gem xishi series

Concave shape heating plate, and sphere thickening inner pot.



- ※ Concave shape heating plate, and sphere thickening inner pot.
- ** Luxurious completely automatic temperature controlling and keeping, conveniently cleaning. Energy saving and environmental protection.

 ** Using the high-level aluminum alloy inner pot, very firm and durable. High intensity non-sticking coating, won't be taken off forever.

 ** The concave shape heating plate makes the heating more quickly and uniformly. Sphere inner pot. Chickness is 2.0MM.

 ** Imatating firewood cubic temperature keeping with sealed tiny pressure structure to avoid overflowing.



The exquisite xishi series

Sphere inner pot. Chickness is 2.0MM.





CFXB20-3A2 400W10







- * Concave shape heating plate, and sphere thickening inner pot.
- ** Luxurious completely automatic temperature controlling and keeping, conveniently cleaning. Energy saving and environmental protection.
 ** Using the high-level aluminum alloy inner pot, very firm and durable. High intensity non-sticking coating, won't be taken off forever.
 ** The concave shape heating plate makes the heating more quickly and uniformly. Sphere inner pot, thickness is 2.0MM.

- Imatating firewood cubic temperature keeping with sealed tiny pressure structure to avoid overflowing.



The mini rice cooker series

Automatic rice cooking and warming system.





CFXB10-M1 200W 0.6L







- # All plastic body.

 # Automatic rice cooking and warming system.

 # High temperature protection.

 # Aluminum inner pot and non-stick coating.

 # Accessories: measuring cup and rice scoop.



- # The perfectly equipped steamer leads the cooking trend
 # luxurous completely automatic temperature controlling and keeping, conveniently cleaning
 # using the high-level aluminum alloy inner pot
 # non-sticking coating
 # High-level non-melt heating plate makes the heating more quickly and uniformly











CFXB30-3A2 500W 1.5D CFXB40-3A2 700W 18D CFXB50-3A2 900W 2.21 CFXB60-3A2 1000W 2.81 CFXB30-3DZ2 (500W 1.51) CFXB40-3DZ2 700W 1.8L CFXB50-3DZ2 900W 2.21 CFXB60-3DZ2 1000W 2.81

- Stainless steel out body:
 Automatic temperature controlling and keeping, conveniently cleaning.
 Using the high-level aluminum alloy inner pot;
 Non-sticking coating;
 High-level non-melt heating plate makes the heating more quickly and uniformly.



Jointless body firm & strong

The perfectly equipped steamer leads the cooking trend



CFXB40-3A6 700W18D CFXB50-3A6 900W222D CFXB60-3A6 1000W 2.81 CFXB70-3A6 (1200WB321)

CFXB40-3DZ6 700W 1/81 CFXB50-3DZ6 900W 2.2L CFXB60-3DZ6 1000W 2.8D



- # Jointless body firm and strong:
 # Automatic cooking and warming system:
 # using the high-level aluminum alloy inner pot;
 # non-sticking coating;
 # High-level non-melt heating plate makes the heating more quickly and uniformly.



Automatic Rice cooker

1.0\1.5\1.8\2.2\2.8\Liter+Keep Warm Function+Steamer

CFXB20-3DZ1 400W 1.0L

CFXB30-3A5 500W151

CFXB40-3A5 700W 18L

CFXB50-3A5 900W 2.2L

CFXB60-3A5 (1000W 2431)

CFXB30-3DZ5 500W115D

CFXB40-3DZ5 700W18L

CFXB50-3DZ5 900W 2.2D

CFXB60-3DZ5 1000W 2.81













- ※ Tin-plate or stainless steel housing;
 ※ Automatic temperature controlling and keeping conveniently cleaning;
 ※ Using the high-level aluminum alloy inner pot;

- 無 Non-sticking coating; ※ High-level non-melt heating plate makes the heating more quickly and uniformly.





New liqiao series

CFXB30-3AT 500W 1.5L CFXB40-3AT 700W 1.81 CFXB30-3A4 500W 1.51 CFXB40-3A4 700W 1.8L CFXB50-3A4 900W 2.2L

CFXB30-3DZ4 500W 1.5L CFXB40-3DZ4 700W 1.8L CFXB50-3DZ4 900W 2.2L







- Stainless steel outer body and novel out look;
 Automatic temperature controlling and keeping, conveniently cleaning;
 Using the high-level aluminum alloy inner pot;
 Non-sticking coating;
 High-level non-melt heating plate makes the heating more quickly and uniformly.



Liqiao xishi series Stainless steel outer body and novel out look

2.0MM black silicon thicken cauldron inner pot



CFXB30-3ED 500W 1.5L CFXB40-3ED 700W 181 CFXB30-3A4 500W 1.5L CFXB40-3A4 700W 181 CFXB50-3A4 900W 2.21

CFXB30-3DZ4 500W 1.5L CFXB40-3DZ4 700W18D CFXB50-3DZ4 900W222



- ※ Stainless steel outer body and novel out look;
- ₩ Automatic temperature controlling and keeping, conveniently cleaning;

 W Using the high-level aluminum alloy inner pot;

- 樂 Non-sticking coating: 樂 High-level non-melt heating plate makes the heating more quickly and uniformly.



The perfectly equipped steamer leads the cooking trend





CFXB30-3A 500W 1.5L CFXB40-3A 700W18D CFXB50-3A 900W 2.2L CFXB60-3A 1000W 2.81 CFXB30-3DZ 500W 1.5L CFXB40-3DZ 700W 1.8L CFXB50-3DZ 900W 2.2L CFXB60-3DZ 1000W 2.8L







- ※ The out look design is simple and natural, gorgeous eye-catching and coveniently cleaning;
 ※ Automatic temperature controlling and keeping, conveniently cleaning;
 ※ Using the high-level aluminum alloy inner pot;
 ※ Non-sticking coating;
 ※ High-level non-melt heating plate makes the heating more quickly and uniformly





CFXB110-3A 1100W1101



CFXB130-3A (1300W13.0L)



CFXB70-3A 1200W 3.2D



CFXB70-3A CEXTURE AND



- Large capacity design 11. 0L/13.0L;
 Automatic temperature controlling and keeping, conveniently cleaning;
 Using the high-level aluminum alloy inner pot;
 Non-sticking coating;
 High-level non-melt heating plate makes the heating more quickly and uniformly.



Cylindric Electric Rice Cooker

Automatic temperature controlling and keeping, conveniently cleaning





CFXB15-90 2B 350W 0.6L CFXB20-90 2B 400W 1.0L CFXB30-90 2B 500Walst CFXB40-90 2B 700W1.8L CFXB50-90 2B 900W2.2L CFXB60-90 2B 1000W 2.8L

CFXB100-98 2B 1600W 4.6L CFXB120-98 2B 1900W 6.0L CFXB150-98 2B 2500W 7.0L







CFX840-90 2DZ 700W 1.8L CFX850-90 2DZ 900W 2.2L CFXB60-90 2DZ (1000W2181)

- ※ The perfectly equipped steamer leads the cooking trend;
- Automatic temperature controlling and keeping, conveniently cleaning;
 Using the high-level aluminum alloy inner pot;
- # Non-sticking coating;
- ★ High-level non-melt heating plate makes the heating more quickly and uniformly.



Joinless body Rice Cooker

The perfectly equipped steamer leads the cooking trend





CFXB30-021 500W1.51 CFXB40-90 700W1.81

CFXB50-90 CFXB60-90 1000W2ED

900W 2.2L







- High-performance heating, improve efficiency while saving energy;
 Overtemperature protection function guarantees cooking safety;
 Enclosed micro-pressure structure, making rice cooked softer;
 Auto switch of function, saving cooking energy and time;
 High-performance aluminium alloy inner pan with non-stick coating.

Stainless steel Rice Cooker

Stainless steel outbody, stainless steel steamer, stainless steel steamer inner pot



CFXB15-90 2C 350W0.6L CFXB20-90 2C 400W1.0L CFXB30-90 2C 500W1.5L CFXB40-90 2C 700W1.8L CFXB50-90 2C 900W2.2L CFXB60-90 2C 1000W2.8L

CFXB40-90 2CDZ 700W 1.8L CFXB50-90 2CDZ 900W 2.2L CFXB60-90 2CDZ 1000W 2.8L



- ※ Stylish and elegant appearance;
- High-performance heating, improve efficiency while saving energy:
 Overtemperature protection function guarantees cooking safety;
 Enclosed micro-pressure structure, making rice cooked softer;
 Auto switch of function, saving cooking energy and time;

- 第 High -performance aluminium alloy inner pan with non-stick coating.



Whole Plastic Outer Covering

The perfectly equipped steamer leads the cooking trend





CFXB30-98 25 500W 151 CFXB40-98 25 700W 1.81

Product Features Advantages

W Whole plastic outer covering, very fashion and beautiful;

Automatic temperature controlling and keeping, conveniently cleaning;
 Using the high-level aluminum alloy inner pot;
 stainless steel steamer inner pot;

* High-level non-melt heating plate makes the heating more quickly and uniformly.

Leading Technology effort extraordinary quality









- ※ Automatic cooking and warming system;

- ※ Automatic cooking and warming system;
 ※ High temperature protection;
 ※ Aluminum innerpot non-sticking coating;
 ※ Accessories: measuring cup and rice scoop;
 ※ High-level non-melt heating plate makes the heating more quickly and uniformly.





Strong tin-plate housing with painted



CFXB100-98 2A 1600W 4.6L



- ※ Automatic cooking and warming system;
- # High temperature protection;

- Aluminum Inner pot non-sticking coating;
 Accessories: measuring cup and rice scoop;
 High-level non-melt heating plate makes the heating more quickly and uniformly.

Technical quality elegant life



- ** Automatic cooking and warming system;
 ** High temperature protection;
 ** Aluminum innerpot non-sticking coating;
 ** Accessories: measuring cup and rice scoop;
 ** High-level non-melt heating plate makes the heating more quickly and uniformly.



Slow Cooker

A dish prepared by the slow cooker method always tastes great. When the heat is on low the steam doesn't escape and the food remains tender and moist.





SC-35 240W 315D 45 240W 4.5L



Product Features Advantages

Made of fine stainless steel, fashionable and graceful transparent;

級 Glass cover shows you the whole cooking process; 報 Multiple functions such as boiling\frying\stewing\and grilling the inner pot can be cleaned in the Dishwasher in the sterilizing cabinet;



- ▲ Glass lid
- ▲ Non-stick Inner pot
- ▲ Grill
- ▲ Heating plate





Hot pot + Multi-function Cooker

Multi-function Cooker

Automatic cooking and warming system



CBR35-90 1300W 1.5L



CBR45-90 1400W 2.0L



CBR20-80 1000W 1.0L



CBR20-80 1000W 1.01

- Automatic cooking and warming system;
 Automatic temperature controlling and keeping,conveniently cleaning;
 Using the high-level aluminum alloy inner pot;
 Non-sticking coating;
 High-level non-melt heating plate makes the heating more quickly and uniformly.

Pressure Cooker



QH-EX-D01

· Capacity: 4/5/6/8/10/12 L · Voltage: 220V~, 50/60Hz · Power: 800/900/1000/1300/1450/1450W

Menu: Rice/congee/soup/

bean/hoof/cake/chicken/steam/fry

Inner pot: Nonstick coating (1 side)

· Outer shell: 410# Stainless steel

· Working Pressure: 0-70kPa

 Power cord: Copper, 3x0.75mm²x1.2m, VDE Plug

Accessory: Inner pot/Scoop/Measuring cup



· Capacity: 4/5/6L

· Voltage: 220V~, 50/60Hz Power: 800/900/1000W
Menu: Rice/congee/soup/

bean/hoof/cake/chicken/steam/fry Inner pot: Nonstick coating (1 side)

Outer shell: 410# Stainless steel

Working Pressure: 0-70kPa

· Power cord: Copper, 3x0.75mm²x1.2m, VDE

Plug

· Accessory: Inner pot/Scoop/

Measuring cup





QH-EX-D10 Touch control



· Capacity:5/6 L

· Voltage: 220V~, 50/60Hz

Power: 900/1000W

Menu: Rice/slow cook/meat/pork ribs/tendon/congee/bake/baby food/ fast cook/soup/stew/cake

bean/hoof/cake/chicken/steam/fry

Inner pot: Nonstick coating (1 side) Outer shell: 410# Stainless steel

Working Pressure: 0-70kPa

Power cord: Copper, 3x0.75mm²x1.2m, VDE

Accessory: Inner pot/Scoop/Measuring cup



Pressure Cooker



QH-EX-D04

· Capacity:5/6 L

· Voltage: 220V~ 50/60Hz

· Power: 900/1000W

. : Menu: Rice/slow cook/meat/pork ribs/tendon/congee/bake/baby food/ fast

cook/soup/stew/cake

bean/hoof/cake/chicken/steam/fry
Inner pot: Nonstick coating (1 side)

· Outer shell: 410# Stainless steel

· Working Pressure: 0-70kPa

· Power cord: Copper, 3x0.75mm²x1.2m, VDE Plug

· Accessory: Inner pot/Scoop/Measuring cup

QH-EX-D05 One-key Release

· Capacity:5/6 L

· Voltage: 220Va.c. 50/60Hz

· Power: 900/1000W

· Menu:

Rice/porridge/gruel/fish/soup/cake/chicken/bake/baby food/meat/ red meat

· Inner pot: Nonstick coating (1 side)

· Outer shell: 410# Stainless steel, Red painted

Working Pressure: 0-70kPa

· Power cord: Copper, 3x0.75mm²x1.2m, VDE

Plug

· Accessory: Inner pot/Scoop/Measuring cup





QH-EX-D08 Qne-key Release

Capacity:4/5/6 L

Voltage: 220V~, 50/60Hz
 Power: 800/900/1000/W

 Function: rice/soup/meat/porridge/cake/ bean/mutton/babyfood/yogurt/baked/steam

· Inner pot: Nonstick Aluminum

· Outer shell: 410# Stainless steel

Working Pressure: 0-70kPa

· Power line: VDEPlug, Copper, 3x0.75mm²x1.2m

· Accessory: Inner pot/Scoop/Measuring cup



Pressure Cooker



QH-EX-D11

. Capacity:4/5/6/ L

. Voltage: 220Va.c. 50/60Hz . Power: 800/900/1000/W

. Menu:

rice/grainrice/porridge/soup/fish/spareribs/ stew/baked/cake/poultry/bean/hoof

. Inner pot: Nonstick coating (1 side) . Outer shell: 410# Stainless steel

. Working Pressure: 0-70kPa

. Power cord: Copper, 3x0.75mm²x1.2m, VDE

. Accessory: Inner pot/Scoop/Measuring cup

QH-EX-D11

Capacity:4/5/6/ L

· Voltage: 220Va.c. 50/60Hz · Power: 800/900/1000/W

rice/grainrice/porridge/soup/fish/spareribs/ stew/baked/cake/poultry/bean/hoof

· Inner pot: Nonstick coating (1 side)

· Outer shell: 410# Stainless steel

Working Pressure: 0-70kPa

· Power cord: Copper, 3x0.75mm²x1.2m, VDE

Accessory: Inner pot/Scoop/Mea

suring cup





QH-EX-D802

·. Capacity: 8L

· Voltage: 220Va.c. 50/60Hz

Power: 1300W

Menu: Rice/congee/soup/

bean/hoof/cake/chicken/steam/fry Inner pot: Nonstick coating (1 side)

· Outer shell: 410# Stainless steel

Working Pressure: 0-70kPa

· Power cord: Copper, 3x0.75mm²x1.2m, VDE

Accessory: Inner pot/Scoop/Measuring cup







Enjoy your cool summer with our Super Ice breaker





Super Quiet Cooking Blender



Patent design with motor and heater built in all-in-one glass jar.



Reminished, capacitive LCD display



65DB quiet operation, 15db less than normal blender.



12 pre-programmed Cycles



One base can be adapted to a jar or a pot.



Tench control



With functions for cold drinks and hot drinks



Wiff connection



PRODUCT SUPERIOR



Glass Cooking /Blender Jar



Frying pan



Cake pan



Saucepan




Takoyaki pan











KMT-901



KMT-905



KMT-903



KMT-986



KMT-984



KMT-986



PRODUCT FEATURE

Model	KMT-984	KMT-909	KMT-910
Voltage	220V, 50Hz	220V, 50Hz	220V, 50Hz
Heat Power	1200W	1200W	1200W
Mator Power	480W	400W	400W
Capacity	1500ML	1500ML	1580ML
Motor Speed	31000rmp	31080rmp	31000rmp
Product Net Weight	4.2KG	4.2KG	4.2KG
Product Size	242*263*345MM	242*263*345MM	242*263*345MM
Gift Box Size	362*278*325MM	362*278*325MM	362*278*325MM
Carton Size	740°575°345MM	740°575°345MM	740*575*345MM
Container Loading	592 PCS/20GP 1230 PCS/40GP 1442 PCS/40HQ	570PCS/20GP 1184PCS/40GP 1388PCS/40HQ	592 PCS/20GP 1230 PCS/40GP 1442 PCS/40HQ







4 PRODUCT ADVANTAGES



1650~2200 WATT COMMERCIAL-GRADE KITCHEN BLENDER

THE POWERFUL HIGH SPEED HORSEPOWER MOTOR AND & STAINLESS STEEL BLADES MAKE EVEN THE TOUGHEST BLENDING JOB SIMPLE AND EASY FOR YOUR HEALTHY AND O ACTIVE LIFESTYLE.



MULTI-FUNCTIONAL HEAVY DUTY BLENDER WITH VARIABLE SPEEDS, TIMER SELECTION FOE WALK-AWAY CONVENIENCE, USE VARIABLE SPEEDS AND TIMER SELECTION TO PREPARE FRUIT DRINKS, SMOOTHIES, SHAKES, SAUCE AND MORE OR YOU CAN USE THE PULSE FEATURE TO QUICKLY CRUSH ICE FOR FROZEN DRINK SAND COCKTAIL.



BPA FREE AND FDA APPROVED

THE LARGE CAPACITY PITCHER IS MADE OF TRITAN MATERIAL, 2005 BPA FREE, AND APPROVED BY FDA (FOOD AND DRUG ADMINISTRATION).



EASY TO CLEAN AND DISHWASHER SAFE

THE BLENDER'S CLEANUP IS EASY. SIMPLIFY FILLING THE BLENDER JAR HALFWAY WITH WATER ALL REMOVAL PARTS ARE DISHWASHER SAFE.



PRODUCT FEATURES

Model	KMT-200/205	KMT-302/302D	KMT-400D	KMT-205D
Voltage	220V~, 50Hz	220V~, 50Hz	220V~, 50Hz	220V~, 50Hz
Motor Power	1650W	1800W	2200W	1800W
Capacity	2200ML	3200 ML	4000ML	2500ML
Motor Speed	26000rpm	27000rpm	28000rpm	26000rpm
Product Net Weight	3.8KG	4.5KG	5KG	4.5KG
Product Size	208*236*490MM	250*230*545MM	250*230*568MM	250*230*545MM
Gift Box Size	397*236*332MM	455*295*340MM	455*295*340MM	455*295*340MM
Carton Size[2pcs/ctn]	487*412*352MM	605*470*360MM	605*470*360MM	605*470*360MM
Container Loading	792PCS/20GP 1642PCS/40GP 1942PCS/40HQ	546PCS/20GP 1132PCS/40GP 1328PCS/40HQ	544PCS/20GP 1132PCS/40GP 1328PCS/40HQ	546PCS/20GP 1132PCS/40GP 1328PCS/40HQ





PORTABLE BLENDER

PRODUCT FEATURES

Macel	KMT-518	KMT-731	KMTTZ
Voltage	220V-, 50Hz		a a
Mater Fower	300W		
Capacity	SCOME		
Mater Speed	21000rpm		
Product Net Weight	1.1KG	1,2%6	1,195
G/t Box Size	235*185*270MM 235*185*270MM 235*185*270MM		
Container Loading	3485FCS/2064 8480FCS/45HQ		















Mini Blender

- (2) 300ml Tritan sports jar or 359ml glass jar for optional
- 20-sec programmed juicing with auto-stop
- @ BC7.49 motor with 4880mAh Li-ion battery
- (S) Burable stainless steel cross-blades
- (2) USB recharging for 3 house and 25 cups juice enjoyed
- (B) Extra light weight at 450g

PRODUCT FEATURES

Model	KMT-831	KMT-852
Voltage	DC 3	7.4V
Power Supply	Lithium batt	ery USD 5V
Capacity	380ML	
Motor Power	175W	
Product Size	80*80*235MM	



KMT-831





KMT-CP9004







XC-1906

- · 304 stainless steel interior.
- · Cordless design allows for easy filling, traveling and serving.
- · 0.6L capacity.
- · High quality control inside.
- · 220V 800W heating power.

XC-1908

- · 304 stainless steel interior.
- Cordless design allows for easy filling, traveling and serving.
- · 0.8L capacity.
- · High quality control inside.
- · 220V 1000W heating power.









XC-8009

- · 304 stainless steel interior.
- · Cordless design allows for easy filling, traveling and serving.
- 0.8L/1.0L capacity.
- · High quality control inside.
- · 220V 1360W heating power.





XC-1812

- · 304 stainless steel interior.
- Cordless design allows for easy filling, traveling and serving.
- · 1.2L capacity.
- · High quality control inside.
- · 220V 1360W heating power.

XC-8016

- · 304 stainless steel interior.
- Cordless design allows for easy filling, traveling and serving.
- · 1.7L capacity.
- · High quality control inside.
- · 220V 1500W heating power.









XC-8010

- · 304 stainless steel interior.
- · Cordless design allows for easy filling, traveling and serving.
- · 1.8L capacity.
- · High quality control inside.
- · 220V 1800W heating power.







XC-8117

- · 304 stainless steel interior.
- · Cordless design allows for easy filling, traveling and serving.
- · 1.7L capacity.
- · High quality control inside.
- · 220V 1500W heating power.

XC-1522

- · 304 stainless steel interior.
- · Cordless design allows for easy filling, traveling and serving.
- · 1.7L capacity.
- · High quality control inside.
- · 220V 1500W heating power.







XC-1827/1827S

- · 304 stainless steel interior.
- · Cordless design allows for easy filling, traveling and serving.
 - · 1.7L capacity.
- · High quality control inside.
- · 220V 1500W heating power.









XC-1904

- .316 stainless steel interior.
- .Cordless design allows for easy filling, traveling and serving.
- .0.4L capacity.
- .High quality control inside.
- .220V 800W heating power.

XC-1910

- *304 stainless steel interior.
- .Cordless design allows for easy filling, traveling and serving.
- .1.0L capacity.
- .High quality control inside.
- .100/110/220V900W/1000W heating power.







Induction Cooker



Product name: Double induction cooker

Product model:QH-19-ST01 Rated voltage:220V~/50HZ Rated power: 1700W+1700W Product size:680x380x85mm

Hole size:655x355mm (minimum hole size)

Feature

- 1. Multi-function double induction cooker
- 2. Touch control, LED display
- 3. Each cooker can work independently
- 4. Adjustable power
- 5. Extra strong crystal plate glass, easy to clean
- 6. Embedded design, easy to install. It can also be used as a desktop.
- 7. Perfect for frying, boiling, stewing, etc.

Quantity: 2 sets Net weight: 15KG Gross weight: 17 KG

Carton measuremen:725x425x115mm

Carton size:745x445x250mm 40"HQ:1680 pcs (decrease in

accessories)

•

Induction Cooker



Product name: induction cooker + ceramic

cooker

Product model: QH-19-ST02 Rated voltage: 220V~/50HZ Rated power: 1700W+1700W Product size: 680x380x85mm

Hole size: 655x355mm(minimun hole size)

Feature

- Multi-function induction cooker + ceramic cooker
- 2. Touch control, LED display
- 3. Each cooker can work independently
- 4. Adjustable power
- 5. Extra strong crystal plate glass, easy to clean
- 6. Embedded design, easy to install. It can also be used as a desktop.
- 7. Perfect for frying, boiling, stewing, etc.

Quantity:2 sets Net weight:14.5KG Gross weight:16.5KG

Carton measuremen:725x425x115mm

Carton size: 745x445x250mm 40"HQ: 1680 pcs (decrease in

accessories)

Induction Cooker



Product name: Double induction cooktop

Product model: QH-19-ST03
Rated voltage: 220V~/50HZ
Rated power: 1700W+1700W
Product size: 680x380x85mm

Carton measuremen: 725x425x115mm

Feature

- 1. Multi-function double induction cooker
- 2. Touch control, LED display
- 3. Each cooker can work independently
- 4. Adjustable power
- 5. Extra strong crystal plate glass, easy to clean
- 6. Embedded design, easy to install. It can also be used as a desktop.
- 7. Perfect for frying, boiling, stewing, etc.

Quantity:2 sets
Net weight:14KG
Gross weight:16KG
Carton size:745x445x250mm
Hole size:655x355mm (minimun hole size)
40"HQ:1680 pcs (decrease in accessories)

Residential Product






High Output RO Series



Pre-Filtration Series - 10" PP (WS-PF1-10")





dimension	Ф108*327mm
filtration media	polypropylene (PP)
life time	3 months
filtration accuracy	5-10 micron
function	remove sand, rust, dirt, particles
accessories	1pc wrench

Pre-Filtration Series - 10" UF (WS-PF1-10")





dimension	Ф108*327mm
filtration media	polypropylene (PP)
life time	8 months
filtration accuracy	0.1-0.01 micron
function	remove colloid, sand, rust,bacteria
accessories	1pc wrench

Pre-Filtration Series - 15" PP (WS-PF1-15")





dimension	Ф108*458mm
filtration media	polypropylene (PP)
life time	3 months
filtration accuracy	5 - 10 micron
function	remove sand, rust,dirt,particles
accessories	1pc wrench

Kitchen Series - 2 stage filter (WS-PF2-10")





dimension	220*330mm
2 stage	UF+CTO
life time	UF - 8 months; CTO - 3 months;
filtration accuracy	5-10 micron
function	remove sand, rust, dirt, bacteria, colloid, chlorine, odor, color; improve taste;
accessories	1pc wrench

Kitchen Series - 3 stage filter (WS-PF3-10")





dimension	330*330mm
3 stage	PC+CTO+UF
life time	PC - 3 month; CTO - 6 months; UF - 8 months;
filtration accuracy	0.1-0.01 micron
function	remove sand, rust,dirt,bacteria, colloid, chlorine, odor, color; improve taste;
accessories	1pc wrench

^{*} PC is a composite filter of PP and carbon block.

Kitchen Series - 3 stage filter (WS-PF3-10"-US)





dimension	330*330mm
3 stage	PP+GAC+CTO
life time	PP - 3 month; GAC- 3 months; CTO - 4 months;
filtration accuracy	5-10 micron
function	remove sand, rust,dirt,chlorine, odor,color; improve taste;
accessories	1pc wrench

Kitchen Series - 5 stage RO system (WS-RO021-P(EKD))





dimension	360*190*485mm
3 stage	PP + GAC + PP + RO + POST-CARBON
life time	PP - 3 month; GAC - 3 months; RO - 18 months; POST-CARBON - 4 months;
RO	75 GDP
FLUSH	AUTO
WATER TANK	12L

Kitchen Series - 5 stage RO system (WS-RO022-M)





dimension	370*240*455mm
3 stage	PP + GAC + PP + RO + POST-CARBON
life time	PP - 3 month; GAC - 3 months; RO - 18 months; POST-CARBON - 4 months;
RO	75GDP
FLUSH	AUTO (with pressure meter)
WATER TANK	12L

Kitchen Series - 5 stage RO system (WS-RO024-10")







- * Without water tank no secondary contamination,
- * No risk of tank brokenness, space saving and easy maintanence.

Kitchen Series - 5 stage RO system (WS-RO024-10")



dimension	400*120*450mm
3 stage	PC+RO+GAC
life time	PC - 3 month; RO - 18 months; GAC - 3 months;
RO	400GDP
FLUSH	AUTO
WATER TANK	without



* PC is a composite filter of PP and carbon block.

Commercial Product - for coffee shop, canteen, small office

UF Series



High Output RO Series



UF Series - 2 stage filter (WS-PF2-15")





dimension	220*465mm	
2 stage	UF+CTO	
life time	UF - 8 months; CTO - 3 months;	
filtration accuracy	0.1-0.01 micron	
function	remove sand, rust, dirt, bacteria, colloid, chlorine, odor, color; improve taste;	
accessories	1pc wrench	

UF Series - 2 stage filter (WS-PF2-15")





dimension	220*465mm	
2 stage	PC+UF	
life time	PC - 3 months; UF - 8 months;	
filtration accuracy	0.1-0.01 micron	
function	remove sand, rust, dirt,bacteria, colloid, chlorine, odor, color; improve taste;	
Accessories	Wrench	

High Output RO Series - Tankless (WS-RO024-15")







- Without water tank no secondary contamination.
- No risk of tank brokenness, space saving and easy maintanence.
- PC is a composite filter of PP and carbon block.

dimension	400*120*580mm
3 stage	PC+RO+GAC
life time	PC - 3 month; RO - 18 months; GAC - 3 months;
RO	800GDP
WATER OUTPUT	2.1L/min
WATER TANK	without

Air Purifier

Air Purifier AP1209

- 360° Air inlet
 BLDC Motor
- Electronic touch control
- 3 fan speeds setting
- Filter reset reminder
- 2/4/8 hours timer
- HEPA filter
- Carbon coated pre-filter
- Night light
- · UV-C
- lonizer
- Power:10W
- Noise:≤45dB
- CADR:155m³/h(H13 HEPA)
- Product size:200X200X392mm
- Qty/20'GP CNTR: 1,070 PCS
- Qty/40'GP CNTR: 2,216 PCS
- Qty/40'HQ CNTR: 2,394 PCS

Air Purifier AP5109

- 360° air inlet BLDC motor
- Electronic touch control
- 4 wind speeds
- 2/4/6/8 hours timer
- · HEPA filter+ pre-filter
- Filter reset reminder
- · Night light
- Sleep mode
- · UV-C
- lonizer
- Air quality indication(with particle sensor):1, three color display : blue, purple, red 2,PM2.5 display
- Auto mode
 Child lock
- Wifi optional
- · Power: 65W
- Noise: ≤ 60dB
- CADR: 470m³/h(H13 HEPA)
 CADR:500m³/h(H11 HEPA)
- Usage area: 32-60m
- Product size: 283X283X586mm
- Qty/20'GP CNTR: 288 PCS
- Qty/40'GP CNTR: 612 PCS
- Qty/40'HQ CNTR: 713 PCS



































Industrial Fan





Industrial Fan



Wall Fan




Wall Fan





Table Fan







FT-15-2(6")



FT-15-3(6")



FT-23-1E(9")



FT-30-1E(12")



FT-40-1E(16")



FT-23-2E(9")



FT-30-2E(12")



FT-40-2E(16")

Table Fan



FT-30-1(12")

- 60 minutes timer 3 speed
- · Horizontal swing



FT-30-2(12")

- · 60 minutes timer · 3 speed
- · Horizontal swing



FT-30-3(12")

- 60 minutes timer 3 speed
- · Horizontal swing



FT-30-4(12")

· 3 speed · Horizontal swing



- FT-40-A(16")
- · 60 minutes timer · 3 speed

· Horizontal swing



FT-30-32(12")

· Horizontal swing · 3 speed



- · 60 minutes timer · 3 speed
- · Horizontal swing



- · 60 minutes timer · 3 speed
- · Horizontal swing



FT-40-3(16")

- · 60 minutes timer · 3 speed
- · Horizontal swing

Table Fan



60 minutes times - 3 enough

- · 60 minutes timer · 3 speed
- · Horizontal swing



FT-40-11(16")

- 60 minutes timer 3 speed
- · Horizontal swing



JXFT-40-2(16")

- · 60 minutes timer · 3 speed
- · Horizontal swing



FT-40-4(16")

- 60 minutes timer 3 speed
- · Horizontal swing



FT-40-31(16")

- 60 minutes timer 3 speed
- Horizontal swing



JXFT-40-3(16")

- 60 minutes timer 3 speed
- · Horizontal swing



FT-40-5(16")

- 60 minutes timer 3 speed
- · Horizontal swing



JXFT-40-1(16")

- 60 minutes timer 3 speed
- · Horizontal swing



FT-25-2(10")

· Horizontal swing · 3 speed

Box Fan



KYT-25-1(10")

- 60 minutes timer - 3 speed



KYT-25-2(10")

- 60 minutes timer - 3 speed



KYT-25-5(10")

- 60 minutes timer - 3 speed



KYT-25-7(10")

- 60 minutes timer · 3 speed



KYT-25-8(10")

- 60 minutes timer · 3 speed

· Grill swing



KYT-30-1(12")

- 60 minutes timer - 3 speed

- Grill swing



KYT-30-2(12")

· 60 minutes timer · 3 speed

· Grill swing



KYT-30-3(12")

· 60 minutes timer · 3 speed

· Grill swing



KYT-30-4(12")

- 60 minutes timer - 3 speed

- Grill swing

Box Fan



KYT-30-5(12")

- 60 minutes timer 3 speed
- Grill swing



KYT-30-6(12")

- · 60 minutes timer · 3 speed
- Grill swing





KYT-30K-7(12")

- 60 minutes timer 3 speed
- Grill swing



KYT-30-7(12")

- 60 minutes timer 3 speed
- · Grill swing

Tower Fan










Orbit Fan





· 360 degree swing · 3 speed



FD-40-1(16")

-360 degree swing -3 speed



FD-45(18")

· 360 degree swing · 3 speed

Floor Fan



14"/16"/18"/20"

· Longer power wire · 4 speed

-Low noise



FP20-2(20")




FP20-1(20")



FP20-3(20")

Ceiling Fan











Electric Heater



Electric Heater



DNQ-200-D-3

PTC heater swing left to right power:2000W





halogen heater power 900W



halogen heater power 900W








halogen heater power 900W





halogen heater power 900W






halogen heater power 900W

Electric Heater









halogen heater power 900W






halogen heater power 900W





halogen heater power 900W





halogen heater power 900W